SLIDE 1

Functional
Has Capacity
Can use it

Low / No Capacity
Hard to use

Functional
Has Capacity
Can use it

Reducing

Increasing

12
10
9
8
7
6
4
2
0

Time

Low Capacity - Crisis, 'rock bottom', treatment intervention, chronic disease, death, institutionalisation, psychological breakdown, impaired working life, financial challenge, relationship challenge, spiritual

1

SLIDE 2

Low / No Capacity
Hard to use

Funct
Has C
Can u

Reducing

Increasing

SLIDE 3

Low / No Capacity
Hard to use

Functional
Has Capacity
Can use it

educing

Increasing

SLIDE 4

Functional
Has Capacity
Can use it

Increasing

No upper limit

WELLNESS
COACHING

transitional

RECOVERY
COACHING

ntervention, chronic disease, death, institutionalisation,
, financial challenge, relationship challenge, spiritual

SLIDE 5

Functional
Has Capacity
Can use it

12

10   Reducing

9

8

7
6
4
2
0

Time ·····>

No upper limit

WELLNESS
COACHING

transitional

RECOVERY
COACHING

Low Capacity - Crisis, 'rock bottom', treatment i
psychological breakdown, impaired working life

Slide   5

SLIDE 6 - Changing the curve - outcome

Functional
Has Capacity
Can use it

Functional
Has Capacity
Can use it

12

10

9

8

7
6
4
2
0

Reducing

Increasing

No upper limit

WELLNESS
COACHING

transitional

RECOVERY
COACHING

Time

Low Capacity - Crisis, 'rock bottom', treatment intervention, chronic disease, death, institutionalisation, psychological breakdown, impaired working life, financial challenge, relationship challenge, spiritual

IRCT Slide   6

SLIDE 7 - TREATMENT EVENTS, ONE OFFS

Functional
Has Capacity
Can use it

Low / No Capacity
Hard to use

Functional
Has Capacity
Can use it

12

10

9

8

7
6
4
2
0

Reducing

Increasing

Time

Low Capacity - Crisis, 'rock bottom', treatment intervention, chronic disease, death, institutionalisation, psychological breakdown, impaired working life, financial challenge, relationship challenge, spiritual

SLIDE 8 - TREATMENT EVENTS, ONGOING

Functional
Has Capacity
Can use it

Low / No Capacity
Hard to use

Functional
Has Capacity
Can use it

12

10

Reducing

Increasing

9

8

7
6
4
2
0

Time

Low Capacity - Crisis, 'rock bottom', treatment intervention, chronic disease, death, institutionalisation, psychological breakdown, impaired working life, financial challenge, relationship challenge, spiritual